

The reverse mathematics of inductive inference

Rupert Hölzl



Universität der Bundeswehr München
Joint work with Frank Stephan and Sanjay Jain

*“Analyze algorithmic learning using
the methods of reverse mathematics.”*

1

Preliminaries

Reverse mathematics

- 1 Mathematicians commonly have intuitions about theorems implying each other, theorems being stronger or weaker than others, etc.
- 2 But all true theorems are logically equivalent, so how can we formalize this intuition?
- 3 Idea by Friedman, developed by Simpson:
 - Use weak base theory that only allows dumb, purely mechanical manipulations.
 - Then add one theorem, and see if it can be used to prove the other.
 - This allows comparing their strengths.
- 4 Results from many areas of mathematics have been classified in this way.

The weak system

- 1 The weak system will be a fragment of second order arithmetic, that is, we only assume a subset of the usual axioms.
- 2 Very different models of such a reduced axiom set can exist.
- 3 In such a model, not all subsets of the natural numbers may exist.
- 4 Use permitted manipulations to derive existence of new objects from objects known to exist.
- 5 Depending on what axioms we assume, different manipulations are permitted.
- 6 The “dumb” manipulations that are always allowed will be modeled by computable operations.

The weak system

- 1 The weak system will be a fragment of second order arithmetic, that is, we only assume a subset of the usual axioms.
- 2 Very different models of such a reduced axiom set can exist.
- 3 In such a model, not all subsets of the natural numbers may exist.
- 4 Use permitted manipulations to derive existence of new objects from objects known to exist.
- 5 Depending on what axioms we assume, different manipulations are permitted.
- 6 The “dumb” manipulations that are always allowed will be modeled by computable operations. *More precisely...*

Basic reverse mathematics systems

- 1 RCA_0 stipulates that a model $(M, +, \cdot, <, 0, 1, \mathcal{S})$ consists of
 - some (possibly non-standard) model M of the natural numbers, and
 - a collection \mathcal{S} of subsets of M , *at least* containing all computable sets and closed under Turing reduction and join.
 - Additionally, we require that $\text{I}\Sigma_1$ holds.
- 2 Here, $\text{I}\Sigma_n$ stipulates that induction holds for sets I definable via Σ_n -formulae that may contain parameters in \mathcal{S} .
 - That is, if I satisfies for all e the implication

$$(\forall d < e [d \in I]) \implies e \in I,$$

then $I = M$.

Inductive inference

- 1 An algorithm tries to identify an object from a known family.
- 2 Partial information is sequentially presented to the algorithm.
- 3 Based on this, the algorithm makes a guess about the object.
(Strictly speaking, a finite representation of the object is guessed.)
- 4 Every time the algorithm is presented with a new piece of information, it may revise its guess.
- 5 Eventually the guess should converge to one of the correct representations of the object (*learning in the limit*).

Inductive inference

- 1 Not generally possible for all families of objects, as some families will contain multiple objects that cannot be distinguished using this approach.
- 2 Variations are possible in ...
 - the way the information is presented to the learner,
 - the required convergence behaviour of the learner,
 - the hypothesis space,
 - further restrictions on the behaviour of the learner.
- 3 Fixing all these conditions defines a *learning environment*.
- 4 In different environments, different families of objects can be learned.
- 5 **Topic of this work.** What influence do the different strengths of different fragments of second order arithmetic have?

Representing families of sets and functions

- 1 We will study learnability of families of sets.
- 2 We need to talk about families of sets and of functions existing in a given model, so we represent them by single sets in \mathcal{S} .
- 3 **Uniform representation.** Represent families $\{F_e\}_{e \in M}$ of functions by a set $F \in \mathcal{S}$ via

$$F_e(x) = y \iff \langle e, x, y \rangle \in F.$$

(Obviously, only some F encode a family of functions in this manner.)

- 4 F is the *representation set* of the *uniformly represented family* $\{F_e\}_{e \in M}$ of functions.
- 5 If the functions are binary-valued then we can interpret this as a *uniformly represented family of sets*, and write A and $\{A_e\}_{e \in M}$.

Representing families of sets and functions

1 Weak representation. Assume some $F \in \mathcal{S}$ satisfies

- $\forall e, x, y, z, y', z' : \langle e, x, y, z \rangle, \langle e, x, y', z' \rangle \in F \Rightarrow y = y' \wedge z = z'$,
- $\langle e, x, y, z \rangle \in F \wedge x' < x \implies \exists y', z' : \langle e, x', y', z' \rangle \in F \wedge \langle e, x', y', z' \rangle < \langle e, x, y, z \rangle$.

Then

- let $D = \{e : \forall x \exists y, z [\langle e, x, y, z \rangle \in F]\}$;
- call $\{F_e\}_{e \in D}$ the *weakly represented family of functions* defined by the representation set F where

$$\forall e \in D [F_e(x) = y \iff \exists z \langle e, x, y, z \rangle \in F];$$

- call D the *index set* of $\{F_e\}_{e \in D}$;
 - if $e \in D$ it is called *valid*, otherwise *invalid*.
- 2** If the functions are binary-valued then we can interpret this as a *weakly represented family of sets*, and write $\{A_e\}_{e \in D}$ and A .

Uniform versus weak representation

- 1 Weakly represented families of functions are more general than uniformly represented families of functions.
 - **Example.** For $A \in \mathcal{S}$ the family of all A -computable functions is weakly representable but in general not uniformly representable.
- 2 Uniformly represented families of functions can be thought of as weakly represented families with $D = M$.
- 3 In general, the index set D of a weakly represented family need not be in \mathcal{S} .

Sets versus functions

- 1 All learnability results in this talk will concern families of *sets* given as uniformly or weakly represented families. The words “of sets” are usually omitted.
- 2 Weakly represented families *of functions* will appear only in reverse mathematics axioms.

- 1 As mentioned above, a possible learning target is presented to the learner in an infinite sequences of data, so-called *texts*.
- 2 Their definition should be compatible with reverse maths.
- 3 **Definition.** We call # the pause symbol.
- 4 **Definition (Angluin, Gold).** A *text* for an $A \in \mathcal{S}$ is a function $T \in \mathcal{S}$ with $T: M \rightarrow M \cup \{\#\}$ such that

$$\text{range}(T) := \{T(n) : n \in M \wedge T(n) \neq \#\} = A.$$

- 5 Write M^* for finite prefixes of texts.

Definition (Angluin, Gold).

- 1 A learner is a function $L : M^* \rightarrow M$ in \mathcal{S} .
- 2 A learner L learns $\{A_e\}_{e \in D}$ with hypothesis space $\{B_e\}_{e \in E}$ in the limit if for every $e \in D$ and every text T for A_e there is an n such that for all $m \geq n$,
 - $L(T(0) \dots T(m)) = L(T(0) \dots T(n))$, (convergence)
 - $L(T(0) \dots T(m)) \in E$, (validity)
 - $B_{L(T(0) \dots T(m))} = A_e$. (correctness)
- 3 $\{A_e\}_{e \in D}$ is learnable in the limit with hypothesis space $\{B_e\}_{e \in E}$ if there exists an L as above.
- 4 If $E = D$ and for all $e \in D$ we have $B_e = A_e$, we will just say that L learns $\{A_e\}_{e \in D}$ in the limit and that $\{A_e\}_{e \in D}$ is learnable in the limit, respectively.

2

The tell-tale criterion

The tell-tale criterion

- 1 Angluin studied *indexed families* of sets, that is, $\{A_e\}_{e \in \mathbb{N}}$ such that there is a computable A with $A(e, x) = 1 \iff x \in A_e$.
- 2 Indexed families are a special case of uniformly represented families as they are *actually* uniformly computable.
- 3 Angluin identified the *tell-tale criterion* for their learnability: $\{A_e\}_{e \in \mathbb{N}}$ is learnable in the limit iff uniformly in $e \in \mathbb{N}$ one can computably enumerate a finite *tell-tale set* $B_e \subseteq A_e$; that is,

$$\nexists d \in \mathbb{N}: B_e \subseteq A_d \subset A_e.$$

- 4 **Intuition.** Once we have seen the tell-tale set for e we can conjecture e without danger of overgeneralizing.

The tell-tale criterion in reverse mathematics

- 1 In the classical setting, tell-tale sets are finite.
- 2 To obtain results analogous to the tell-tale criterion for uniformly and weakly represented families it suffices to consider *tell-tale bounds* b_e for each $e \in M$ such that there is no $d \in M$ with $A_e \cap \{0, 1, \dots, b_e\} \subseteq A_d \subset A_e$.

Levels of effectivity of tell-tale bounds

Definition. A weakly represented family $\{A_e\}_{e \in D}$ satisfies Angluin's criterion...

- 1 ... *in general* if for all $e \in D$ there is a b_e ...
- 2 ... *in the limit* if there is a function $g \in \mathcal{S}$ such that for all $e \in D$ the sequence $i \mapsto g(\langle e, i \rangle)$ converges from below to b_e ...
- 3 ... *effectively* iff there is a function $e \mapsto b_e$ in \mathcal{S} ...

... such that there is no $d \in D$ with $A_e \cap \{0, \dots, b_e\} \subseteq A_d \subset A_e$.

For uniformly represented families these definitions hold with $D = M$.

3

Learning in the limit

The principle DOM

- 1 As mention above, the indexed families studied by Angluin correspond to uniformly represented families.
- 2 It is therefore not surprising that to obtain results for weakly represented families we need assumptions exceeding RCA_0 .

The principle DOM

- 1 As mention above, the indexed families studied by Angluin correspond to uniformly represented families.
- 2 It is therefore not surprising that to obtain results for weakly represented families we need assumptions exceeding RCA_0 .
- 3 **The principle DOM.** For every weakly represented family in \mathcal{S} of functions there is a function in \mathcal{S} which grows faster than any function in the family.

Theorem. T.f.a.e. over RCA_0 .

- 1 DOM
- 2 Every weakly represented family satisfying Angluin's criterion effectively is learnable in the limit.
- 3 Every weakly represented family satisfying Angluin's criterion in the limit is learnable in the limit.
- 4 Every weakly represented family satisfying Angluin's criterion generally is learnable in the limit.

Learning uniformly represented families

- 1 Theorem.** Over RCA_0 , a uniformly represented family is learnable in the limit if and only if it satisfies the tell-tale criterion in the limit.
- 2 Theorem.** Over RCA_0 , DOM holds iff every uniformly represented family that satisfies the tell-tale criterion in general is learnable in the limit.

4

Other learning environments

Conservative learning

- 1 Angluin introduced the notion of *conservative learning*: conservative learners avoid mind-changes until forced by data.
- 2 **Definition, modified.** If $n < m$ and

$$L(T(0)\dots T(n)) \neq L(T(0)\dots T(m))$$

then $\exists k \leq m: T(k) \in M - B_{L(T(0)\dots T(n))}$ or $L(T(0)\dots T(n)) \notin E$.

Conservative learning

- 1 Angluin introduced the notion of *conservative learning*: conservative learners avoid mind-changes until forced by data.
- 2 **Definition, modified.** If $n < m$ and

$$L(T(0)\dots T(n)) \neq L(T(0)\dots T(m))$$

then $\exists k \leq m: T(k) \in M - B_{L(T(0)\dots T(n))}$ or $L(T(0)\dots T(n)) \notin E$.

- 3 **Theorem.** Over RCA_0 , a uniformly represented family $\{A_e\}_{e \in M}$ is conservatively learnable with hypothesis space $\{B_e\}_{e \in M}$ if and only if $\{A_e\}_{e \in M}$ is contained in a uniformly represented family $\{C_e\}_{e \in M}$ which satisfies the tell-tale criterion effectively.

Partial learning

- 1 Osherson, Stob, and Weinstein introduced *partial learning*: successful partial learners output one correct hypothesis infinitely often and all other hypotheses at most finitely often.
- 2 **Theorem.** Over RCA_0 , every uniformly represented family is partially learnable.
- 3 **Theorem.** Over RCA_0 and $\text{I}\Sigma_2$, every weakly represented family $\{A_e\}_{e \in D}$ is partially learnable with hypothesis space $\{B_{\langle e,b \rangle}\}_{e \in D, b \in M}$ where $B_{\langle e,b \rangle} = A_e$ for all $e \in D$ and $b \in M$.
- 4 **Theorem.** Over RCA_0 , $\text{I}\Sigma_2$ and DOM , every weakly represented family $\{A_e\}_{e \in D}$ is partially learnable.

5

Sufficient learning criteria

- 1 Definition (Angluin, Kobayashi; modified).** $\{A_e\}_{e \in D}$ admits characteristic subsets iff for every $e \in D$ there is a b_e such that for all $d \in D$ it holds that

$$A_e \cap \{0, 1, \dots, b_e\} \subseteq A_d \implies A_e \subseteq A_d.$$

- 2** Stronger than the tell-tale criterion, as the latter merely requires

$$A_e \cap \{0, 1, \dots, b_e\} \subseteq A_d \implies A_d \not\subseteq A_e.$$

characteristic subsets is learnable in the limit.

- 3 Theorem.** Over RCA_0 , DOM is equivalent to the statement that every weakly represented family which admits characteristic subsets is learnable in the limit.

- 1 Definition (Angluin; modified).** $\{A_e\}_{e \in D}$ has *finite thickness* iff every $x \in M$ is contained in only finitely many A_e , that is, for every $x \in M$ there is b_x such that for all $e > b_x$, either $e \notin D$ or $x \notin A_e$ or $A_e = A_d$ for some $d \leq b_x$.
- 2 Theorem.** Over RCA_0 , DOM is equivalent to the statement that every weakly represented family which has finite thickness is learnable in the limit.

- 1 Definition (Angluin; modified).** $\{A_e\}_{e \in D}$ has *finite elasticity* iff for every

$$T : M \rightarrow M \cup \{\#\}$$

in \mathcal{S} there is $\sigma \preceq T$ such that for all $e \in D$,

$$\text{range}(\sigma) \subseteq A_e \implies \text{range}(T) \subseteq A_e.$$

- 2 Theorem.** Over RCA_0 , DOM is equivalent to the statement that every weakly represented family which has finite elasticity is learnable in the limit.

6

Conclusion

“Fixing different subsystems of second order arithmetic of different strengths has a strong influence on whether algorithmic learning is possible within a given learning environment.”

The relevant principles over RCA_0 , that were identified in this talk, are DOM and $\text{I}\Sigma_2$.

“Fixing different subsystems of second order arithmetic of different strengths has a strong influence on whether algorithmic learning is possible within a given learning environment.”

The relevant principles over RCA_0 , that were identified in this talk, are DOM and $\text{I}\Sigma_2$.

Thank you for your attention.